

## 地域医療学講座 研究業績 (2011年)

### I 原著

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Abe M :  $\gamma$ -glutamyl transferase and high-molecular-weight adiponectin levels are synergistically associated with metabolic syndrome and insulin resistance in community-dwelling persons. *Metab Syndr Relat Disord* 2011 Nov 7. [Epub ahead of print].

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Katoh T, Ohtsuka N, Takayama S, Abe M: A slightly low hemoglobin level is beneficially associated with arterial stiffness in Japanese community-dwelling women. *Clin Exp Hypertens* 2011 Oct 3. [Epub ahead of print]

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Takayama S, Abe M, Katoh T, Ohtsuka N: Association between fasting plasma glucose and high-sensitivity C-reactive protein: gender differences in a Japanese community-dwelling population. *Cardiovasc Diabetol* 2011; 10: 51.

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Takayama S, Abe M, Katoh T, Ohtsuka N: Relationships between lipid profiles and metabolic syndrome, insulin resistance and serum high molecular adiponectin in Japanese community-dwelling adults. *Lipids Health Dis* 2011; 10: 79.

Tabara Y, Osawa H, Kawamoto R, Onuma H, Shimizu I, Makino H, Kohara K, Miki T: Genotype risk score of common susceptible variants for prediction of type 2 diabetes mellitus in Japanese: the Shimanami Health Promoting Program (J-SHIP study). Development of type 2 diabetes mellitus and genotype risk score. *Metabolism* 2011; 60: 1634-1640.

Kawamoto R, Tabara Y, Kohara K, Miki T, Ohtsuka N, Kusunoki T, Takayama S, Abe M: Serum gamma-glutamyl transferase within its normal concentration range is related to the presence of impaired fasting glucose and diabetes among Japanese community-dwelling persons. *Endocr Res* 2011; 36: 64-73.

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Katho T, Ohtsuka N: Serum high molecular weight adiponectin correlates with arterial stiffness in community-dwelling persons. *Endocr Res* 2011; 36: 53-63.

Kawamoto R, Tabara Y, Kohara K, Abe M, Kusunoki T, Miki T: Association of serum high molecular weight adiponectin and blood pressure among non-diabetic community-dwelling men. *Clin Exp Hypertens* 2011; 33: 336-344.

Kawamoto R, Tabara Y, Kohara K, Miki T, Kusunoki T, Takayama S, Abe M: Hemoglobin is associated with serum high molecular weight adiponectin in Japanese community-dwelling persons. *J Atheroscler Thromb* 2011; 18: 182-189.

Abe M, Mashiba T, Zeniya M, Yamamoto K, Onji M, Tsubouchi H: the Autoimmune Hepatitis Study Group, a subgroup of the Intractable Hepato-Biliary Disease Study Group in Japan. Present status of autoimmune hepatitis in Japan: a nationwide survey. *J Gastroenterol* 2011. 46: 1136-1141.

Hamada M, Abe M, Miyake T, Kawasaki K, Tada F, Furukawa S, Matsuura B, Hiasa Y, Onji M: B cell-activating factor controls the production of adipokines and induces insulin resistance. *Obesity* 2011; 19: 1915-1922.

Azemoto N, Kumagi T, Abe M, Konishi I, Matsuura B, Hiasa Y, Onji M: Biochemical response to ursodeoxycholic acid predicts long-term outcome in Japanese patients with primary biliary cirrhosis. *Hepatology* 2011; 41: 310-317.

Chen S, Akbar SMF, Abe M, Hiasa Y, Onji M: Immune suppressive functions of hepatic myeloid-derived suppressor cells of normal mice and in a murine model of chronic hepatitis B virus. *Clin Exp Immunol*.2011; 166:134-142.

Koizumi Y, Hirooka M, Kisaka Y, Konishi I, Abe M, Murakami H, Matsuura B, Hiasa Y, Onji M: Noninvasive diagnosis of liver fibrosis in patients with chronic hepatitis C by real-time tissue elastography: Establishment of the method for measurement. *Radiology* 2011; 258: 610-617.

Ueda T, Matsuura B, Miyake T, Furukawa S, Abe M, Hiasa Y, Onji M: Mutational analysis of predicted extracellular domains of human growth hormone secretagogue receptor 1a. *Regul Pept* 2011; 166: 28-35.

Akbar SMF, Horiike N, Chen S, Michitaka K, Abe M, Hiasa Y, Matsuura B, Onji M: Mechanisms of restoration of immune responses of chronic hepatitis B patients during lamivudine therapy: increased antigen processing and presentation by dendritic cells. *J Viral*

Hepat 2011; 18: 200-205.

Akbar SMF, Furukawa S, Horiike N, Abe M, Hiasa Y, Onji M: Safety and immunogenicity of hepatitis B surface antigen-pulsed dendritic cells in patients with chronic hepatitis B. *J Viral Hepat* 2011; 18: 408-414.

Koizumi Y, Hirooka M, Uehara T, Kisaka Y, Uesugi K, Kumagi T, Abe M, Matsuura B, Hiasa Y, Onji M: Transcatheter arterial chemoembolization with fine-powder cisplatin-lipiodol for HCC. *Hepatogastroenterology* 2011; 58: 512-515.

Yamanishi H, Yokota T, Kumagi T, Azemoto N, Abe M, Murakami H, Hiasa Y, Matsuura B, Kawamoto H, Yamamoto K, Onji M: Clinical significance of B cell-activating factor (BAFF) in autoimmune pancreatitis. *Pancreas* 2011; 40: 840-845.

Hirooka M, Koizumi Y, Hiasa Y, Abe M, Ikeda Y, Matsuura B, Onji M: Hepatic elasticity in patients with ascites: evaluation with real-time tissue elastography. *Am J Roentgenol* 2011; 196: W766-771.

Watanabe T, Konishi I, Shigematsu S, Uesugi K, Joko K, Seike H, Okada S, Miyaoka H, Nakanishi S, Abe M, Matsuura B, Michitaka K, Horiike N, Hiasa Y, Onji M: Sustained virological response of patients with hepatitis C virus genotype 2 depends on peglated interferon compliance. *Hepatology Res* 2011; 41: 722-730.

Imaoka H, Higaki N, Kumagi T, Miyaike J, Ohmoto M, Yamauchi K, Murakami T, Murakami H, Ikeda Y, Yokota T, Shibata N, Ninomiya T, Abe M, Hiasa Y, Matsuura B, Onji M, Umeda M, Horiike N: Characteristics of small-bowel tumors detected by double balloon endoscopy. *Dig Dis Sci* 2011; 56: 2366-2371.

Tanaka A, Harada K, Ebimuma H, Komori A, Yokokawa A, Yoshizawa K, Abe M, Miyake Y, Kikuchi K, Ohira H, Zeniya M, Ishibashi H, Onji M, Nanamuma Y, Takikawa H: Primary biliary cirrhosis and autoimmune hepatitis overlap syndrome: a rationale for corticosteroids use based on a nation-wide retrospective study in Japan. *Hepatology Res* 2011; 41: 877-886.

Konishi I, Hiasa Y, Tokumoto Y, Abe M, Furukawa S, Toshimitsu K, Matsuura B, Onji M: Aerobic exercise improves insulin resistance and decrease body fat and serum levels of leptin in patients with hepatitis C virus. *Hepatology Res* 2011; 41: 928-935.

Hirooka M, Ochi H, Koizumi Y, Kisaka Y, Abe M, Ikeda Y, Matsuura B, Hiasa Y, Onji M: Splenic elasticity identified by real-time tissue elastography is a novel marker of portal hypertension. *Radiology* 2011; 261: 960-968.

Hiraoka A, Tazuya N, Uehara T, Ichiryu M, Tanabe A, Tanihira T, Hasebe A, Ninomiya T, Ochi H, Koizumi Y, Hirooka M, Abe M, Hiasa Y, Matsuura B, Onji M, Michitaka K: Hepatic resection assisted by ablative therapy for advanced hepatocellular carcinoma. *Hepatogastroenterology* 2011; 58: 955-959.

阿部雅則、SMF Akbar、恩地森一：B型肝炎治療の最新戦略 HBs抗原+HBc抗原パルス樹状細胞を用いた治療ワクチンの開発 *消化器科* 2011; 52: 120-124.

## II 症例報告

加藤 丈陽、川本 龍一、楠木 智：Howship-Romberg 徴候を坐骨神経痛として見過されていた閉鎖孔ヘルニアの1例. *日本老年医学会雑誌* 2011; 48 : 176-179.

Tada F, Abe M, Nunoi H, Azemoto N, Mashiba T, Furukawa S, Kumagi T, Murakami H, Ikeda Y, Matsuura B, Hiasa Y, Onji M. Ulcerative colitis complicated with primary biliary cirrhosis. *Intern Med* 2011; 50: 2323-2327.

Koizumi Y, Hiraoka A, Michitaka K, Tazuya N, Ichiryu M, Nakahara H, Ochi H, Tanabe A, Hidaka S, Kodama A, Uehara T, Hasebe A, Miyamoto Y, Ninomiya T, Abe M, Hiasa Y, Matsuura B, Horiike N, Onji M: Severe hypoglycemia associated with insulin-like growth factor II-producing liver metastasis from gastric carcinoma treated with overnight total parenteral nutrition via a reserve port for a central vein catheter. *Clin J Gastroenterol* 2011; 4: 68-72.

Ikegawa S, Hiraoka A, Shimizu Y, Hidaka S, Tazuya N, Ichiryu M, Nakahara H, Tanabe A, Tanihira T, Hasebe A, Miyamoto Y, Ninomiya T, Hirooka M, Kumagi T, Abe M, Hiasa Y, Matsuura B, Onji M, Michitaka K: Hepatocellular carcinoma in case of Wilson's disease treated with radiofrequency ablation therapy. *Intern Med* 2011; 50: 1433-1437.

Yamanishi H, Kumagi T, Yokota T, Koizumi M, Azemoto N, Watanabe J, Mizuno Y, Sugita A, Abe M, Ikeda Y, Matsuura B, Hiasa Y, Onji M: Epithelial cyst arising in an intrapancreatic

accessory spleen: diagnostic dilemma. Intern Med 2011; 50: 1947-1952.

Ochi H, Hiraoka A, Uehara T, Hidaka S, Kawasaki H, Furuya K, Hirooka M, Abe M, Matsuura B, Hiasa Y, Onji M, Michitaka K: Abdominal imaging findings of a patient with hepatocellular carcinoma associated with glycogen storage disease type 1a. Intern Med 2011; 50: 2317-2322.

Watanabe T, Hiasa Y, Torisu M, Shimizu T, Yamamoto Y, Kawasaki K, Higaki N, Murakami H, Kumagi T, Abe M, Furukawa S, Matsuura B, Ikeda Y, Tanaka H, Mochizuki T, Onji M: Endovascular treatment is effective against acute mesenteric ischemia complicated with metabolic diseases. Clin J Gastroenterol 2011; 4: 223-229.

渡辺崇夫, 日浅陽一, 廣岡昌史, 木阪吉保, 古川慎哉, 阿部雅則, 村上英広, 池田宜央, 松浦文三, 恩地森一: ソラフェニブにより消化管出血を発症した肝細胞癌の2例. Gastroenterol Endosc 2011; 53: 1626-1633.

木阪吉保, 廣岡昌史, 小泉洋平, 越智裕紀, 阿部雅則, 熊木天児, 池田宜央, 松浦文三, 日浅陽一, 恩地森一: 造影超音波検査およびMRI検査が診断に有用であった肝血管筋脂肪腫の1例. 愛媛医学 2011; 30: 175-178.

### Ⅲ 総説

川本龍一: リライアブル・タウン (安心して楽しく老いる街づくり) 基盤構築事業. 株式会社愛媛ジャーナル社 2011; 24: 80-83.

川本龍一: 地域医療についてー日本と愛媛の現状ー. 西南四国のむら 2011; 8: 3-4.

川本龍一, 阿部雅則, 楠木 智: 地域医療における学生教育と健康増進活動. 愛媛医学 2011; 30: 201-206.

阿部雅則, 恩地森一: 自己免疫性肝炎 消化器診療ガイドライン第2版 高橋信一編, 総合医学社, p174-177, 2011.

阿部雅則, 多田藤政, 恩地森一: 自己免疫性胆管疾患のオーバーラップス 異時性 PBC/AIH オーバーラップ. 肝胆膵 2011; 62: 693-698.

阿部雅則, 恩地森一: 新時代のウイルス性肝炎学 HBV 感染に対する免疫応答機構. 日本臨床 2011; 69 Suppl 4: 369-373.

阿部雅則、恩地森一：新時代のウイルス性肝炎学 B 型慢性肝炎に対する免疫療法. 日本臨床 2011; 69 Suppl 4: 503-506.

恩地森一、阿部雅則：自己免疫性肝炎診療・研究の現状と今後. 日本消化器病学会雑誌 2011; 108: 1823-1836.

#### IV その他

阿部雅則、恩地森一：国際診断スコアリングクライテリアによる自己免疫性肝炎確定例と疑診例の比較 Review of Gastroenterology and Clinical Gastroenterology 2011; 6: 38-40.

飯島克己監訳：／100 Cases in Psychiatry 心の診療 100 ケース プライマリ・ケアで押さえない精神医学的キーポイント、メディカルサイエンス・インターナショナル、東京、2012.