

Chen Z, Liu S, Sumida T, Sun S, Wei Y, Liu M, Dong Z, Zhang F, Hamakawa H
Silencing Id-1 with RNA interference inhibits adenoid cystic carcinoma in mice.
J Surg Res. 169(1): 57-66, 2011.7

Sasaki T, Nakashiro K, Tanaka H, Azuma K, Goda H, Hara S, Onodera J, Fujimoto I,
Tanji N, Yokoyama M, Hamakawa H
Knockdown of Akt isoforms by RNA silencing suppresses the growth of human prostate
cancer cells in vitro and in vivo.
Biochem Biophys Res Commun. 399(1): 79-83, 2010.8

Shintani S, Hamakawa H, Nakashiro K, Shirota T, Hatori M, Tanaka M, Kuroshita Y,
Kurokawa Y.
Friend leukaemia insertion (Fli)-1 is a prediction marker candidate for radiotherapy
resistant oral squamous cell carcinoma.
Int J Oral Maxillofac Surg. 39(11):1115-1119, 2010.11

Dong Z, Wei F, Zhou C, Sumida T, Hamakawa H, Hu Y, Liu S.
Silencing Id-1 inhibits lymphangiogenesis through down-regulation of VEGF-C in oral
squamous cell carcinoma.
Oral Oncol. 47(1): 27-32, 2011.1

Zhang T, Hamada K, Hyodo M, Itoh H, Tani K, Goda H, Nakashiro K, Hamakawa H
Gene therapy for oral squamous cell carcinoma with IAI.3B promoter-driven oncolytic
adenovirus-infected carrier cells.
Oncol Rep.25(3): 795-802, 2011.5

Hino S, Hamakawa H, Miyamoto Y, Ryoike K, Sekine J, Sasaki A, Yamamoto T, and THE
ORAL CANCER STUDY GROUP OF CHUGOKU-SHIKOKU
Effects of a concurrent chemoradiotherapy with S-1 for locally advanced oral cancer.
Oncol Lett. 2(5):839-843, 2011.9

Shigeishi H, Sugiyama M, Tahara H, Ono S, Ujjal K, Okura M, Kogo M, Shinohara M,
Shindoh M, Shintani S, Hamakawa H, Takata T, Kamata N
Increased telomerase activity and hTERT expression in human salivary gland
carcinomas.

Oncol Lett.2(5):845-850, 2011.9

Murase R, Sumida T, Ishikawa A, Murase R, McAllister SD, Hamakawa H, Desprez PY.
Novel therapeutic strategies for malignant salivary gland tumors: lessons learned from
breast cancer.

Int J Otolaryngol. 2011:187623, 2011.11

Tano T, Okamoto M, Kan S, Nakashiro KI, Shimodaira S, Yamashita N, Kawakami Y,
Hamakawa H.

Growth inhibition and apoptosis by an active component of OK432, a streptococcal
agent, via Toll-like receptor 4 in human head and neck cancer cell lines.

Oral Oncol. 48(8): 678-685, 2012.8

Mayorca-Guilliani AE, Yano H, Nakashiro K, Hamakawa H, Tanaka J.

Premetastatic vasculogenesis in oral squamous cell carcinoma xenograft-draining
lymph nodes.

Oral Oncol. 48(8): 663-670, 2012.8

Goda H, Nakashiro K, Oka R, Tanaka H, Wakisaka H, Hato N, Hyodo M, Hamakawa H.
One-step nucleic acid amplification for detecting lymph node metastasis of head and
neck squamous cell carcinoma.

Oral Oncol. 48(10): 958-63, 2012.10

Murase R, Sumida T, Ishikawa A, Liu S, Yoshimura T, Wei F, Tano T, Hamakawa H.
The expression and roles of Id1 and Id2 in the aggressive phenotype of human oral
squamous cell carcinoma cells.

J Oral Maxillofac Surg Med Pathol 2013.1 月, 25: 12-17

Sumida T, Murase R, Onishi-Ishikawa A, McAllister SD, Hamakawa H, Desprez PY.
Targeting Id1 reduces proliferation and invasion in aggressive human salivary gland
cancer cells.

BMC Cancer. 13(1):141, 2013.3

Tano T, Okamoto M, Kan S, Nakashiro K, Shimodaira S, Koido S, Homma S, Sato M, Fujita T, Kawakami Y, Hamakawa H.

Prognostic impact of expression of Bcl-2 and Bax genes in circulating immune cells derived from patients with head and neck carcinoma.

Neoplasia. 15(3):305-14, 2013.3

Tanaka H, Nakashiro K, Iwamoto K, Tokuzen N, Fujita Y, Shirakawa R, Oka R, Goda H, Hamakawa H

Targeting Aurora kinase A suppresses the growth of human oral squamous cell carcinoma cells in vitro and in vivo.

Oral Oncol. 49(6):551-9. 2013.6

Tano T, Okamoto M, Kan S, Bando T, Goda H, Nakashiro K, Shimodaira S, Koido S, Homma S, Fujita T, Sato M, Yamashita N, Hamakawa H, Kawakami Y.

Immunochemoradiotherapy for patients with oral squamous cell carcinoma: augmentation of OK-432-induced helper T cell 1 response by 5-FU and X-ray irradiation.

Neoplasia. 15(7):805-14. 2013.7

Fujita Y, Okamoto M, Goda H, Tano T, Nakashiro K, Sugita A, Fujita T, Koido S, Homma S, Kawakami Y, Hamakawa H.

Prognostic significance of interleukin-8 and CD163-positive cell-infiltration in tumor tissues in patients with oral squamous cell carcinoma.

PLoS One. 9(12):e110378, 2014.12

Iwamoto K, Nakashiro K, Tanaka H, Tokuzen N, Hamakawa H

Ribonucleotide reductase M2 is a promising molecular target for the treatment of oral squamous cell carcinoma.

Int J Oncol.;46(5):1971-1977. 2015.5

Goda H, Nakashiro K, Ogawa I, Takata T, Hamakawa H.

Peripheral ameloblastoma with histologically low-grade malignant features of the buccal mucosa: a case report with immunohistochemical study and genetic analysis.

Int J Clin Exp Pathol. 8(2):2085-2089. eCollection 2015. 2015.2

Iwamoto K, Nakashiro K, Tokuzen N, Tanaka H, Hamakawa H.

Ribonucleotide reductase M2 is a promising molecular target for the treatment of oral squamous cell carcinoma.

Int J Oncol. 46(5):1971-1977. 2015.5

Nakashiro K, Tanaka H, Goda H, Iwamoto K, Tokuzen N, Hara S, Onodera J, Fujimoto I, Hino S, Hamakawa H.

Identification of Akt1 as a potent therapeutic target for oral squamous cell carcinoma.

Int J Oncol. 47(4):1273-1281. 2015.10

Murase R, Tanaka H, Hamakawa T, Goda H, Tano T, Ishikawa A, Hino S, Sumida T, Nakashiro K, Hamakawa H.

Double sentinel lymph node mapping with indocyanine green and 99m-technetium-tin colloid in oral squamous cell carcinoma.

Int J Oral Maxillofac Surg. 44(10):1212-7. 2015.10

Harase T, Nishida W, Hamakawa T, Hino S, Shigematsu K, Kobayashi S, Sako H, Ito S, Murakami H, Nishida K, Inoue H, Fujisawa M, Yoshizu H, Kawamura R, Takata Y, Onuma H, Shimizu K, Hamakawa H, Osawa H.

Clinical implication of blood glucose monitoring in general dental offices: the Ehime Dental Diabetes Study.

BMJ Open Diabetes Res Care. 13;3(1):e000151, 2015.11

Onishi-Ishikawa A, Murase R, Sumida T, Oka R, Shinohara K, Matsumoto-Fujita K, Hamakawa H.

Implant-Retained Fixed Partial Dental Prostheses for Oral Rehabilitation in a Patient with Systemic Sclerosis: Report of a 3-Year Follow-up Study.

Oral Science in Japan 2015: 117-118, 2015

Dental Implants in Oral Rehabilitation of A Maxillary Cancer Reconstruction: A Case Report.

J Oral Implantol. 2015.12;41(6):737-9.