

英語論文 (2006~2010)

<2006年>

1. Shintani S, Li C, Mihara M, Klosek SK, Terakado N, Hino S, Hamakawa H.
Anti-tumor effect of radiation response by combined treatment with angiogenesis inhibitor, TNP-470, in oral squamous cell carcinoma.
Oral Oncol. 42(1): 66-72, 2006 Jan
2. Ishikawa T, Nakashiro K, Hara S, Klosek SK, Li C, Shintani S, Hamakawa H.
CXCR4 expression is associated with lymph-node metastasis of oral squamous cell carcinoma.
Int J Oncol. 28(1): 61-66, 2006 Jan
3. Terakado N, Shintani S, Nakahara Y, Yano J, Hino S, Hamakawa H.
Conservative treatment of prolonged bilateral mandibular dislocation with the help of an intermaxillary fixation screw.
Br J Oral Maxillofac Surg. 44(1): 62-63, 2006 Feb
4. Nakahara Y, Shintani S, Mihara M, Hino S, Hamakawa H.
Detection of p16 promoter methylation in the serum of oral cancer patients.
Int J Oral Maxillofac Surg. 35(4): 362-365, 2006 Apr
5. Hara S, Nakashiro K, Klosek SK, Ishikawa T, Shintani S, Hamakawa H.
Hypoxia enhances c-Met/HGF receptor expression and signaling by activating HIF-1a in human salivary gland cancer cells.
Oral Oncol. 42(6):593-598, 2006 Jul
6. Elsheikh MN, Rinaldo A, Hamakawa H, Mahfouz ME, Rodrigo JP, Brennan J, Devaney KO, Grandis JR, Ferlito A.
Importance of molecular analysis in detecting cervical lymph node metastasis in head and neck squamous cell carcinoma.
Head Neck. 28(9): 842-849, 2006 Sep
7. Maeda A, Nakashiro K, Hara S, Sasaki T, Miwa Y, Tanji N, Yokoyama M, Hamakawa H, Oyasu R.
Inactivation of AR activates HGF/c-Met system in human prostatic carcinoma cells.
Biochem Biophys Res Commun. 347(4): 1158-1165, 2006 Sep
8. Sugimori E, Shintani S, Ishikawa K, Hamakawa H.
Effects of apatite foam combined with platelet-rich plasma on regeneration of bone defects.
Dent Mater J. 25(3): 591-596, 2006 Sep
9. Isokane M, Sumida T, Okuhira T, Shintani S, Hamakawa H.
Surface osteosarcoma: 2 case reports.
Am J Otolaryngol. 27(5): 349-352, 2006 Sep-Oct

10. Shintani S, Zhang T, Aslam A, Sebastian K, Yoshimura T, Hamakawa H.
P53-dependent radiosensitizing effects of Hsp90 inhibitor 17-Allylamino-17-demethoxygeldanamycin on human oral squamous cell carcinoma cell lines.
Int J Oncol. 29(5): 1111-1117, 2006 Nov

<2007年>

1. Nakaya K, Yamagata HD, Arita N, Nakashiro KI, Nose M, Miki T, Hamakawa H.
Identification of homozygous deletions of tumor suppressor gene FAT in oral cancer using CGH-array.
Oncogene. 26(36): 5300-5308, 2007 Aug
2. Yoshimura T, Sumida T, Liu S, Onishi A, Shintani S, Desprez PY, Hamakawa H.
Growth inhibition of human salivary gland tumor cells by introduction of progesterone (Pg) receptor and Pg treatment.
Endocr Relat Cancer. 14(4): 1107-1116, 2007 Dec

<2008年>

1. Harada K, Sato M, Ueyama Y, Nagayama M, Hamakawa H, Nagahata S, Yoshimura Y, Osaki T, Ryoike K.
Multi-institutional phase II trial of S-1 in patients with oral squamous cell carcinoma.
Anticancer Drugs. 19(1): 85-90, 2008 Jan
2. Murase R, Abe Y, Takeuchi T, Nabeta M, Imai Y, Kamei Y, Lisa Kagawa-Miki, Ueda N, Sumida T, Hamakawa H, Kito K.
Serum autoantibody to sideroflexin 3 as a novel tumor marker for oral squamous cell carcinoma.
Proteomics Clin Appl. 2(4): 517-527, 2008 Apr
3. Hara S, Nakashiro K, Goda H, Hamakawa H.
Role of Akt isoforms in HGF-induced invasive growth of human salivary gland cancer cells.
Biochem Biophys Res Commun. 370(1): 123-128, 2008 May
4. Hamakawa H, Nakashiro K, Sumida T, Shintani S, Myers JN, Takes RP, Rinaldo A, Ferlito A.
Basic evidences of molecular targeted therapy for oral cancer and salivary gland cancer.
Head Neck. 30(6): 800-809, 2008 Jun
5. Ferlito A, Rinaldo A, Devaney KO, Nakashiro K, Hamakawa H.
Detection of lymph node micrometastases in patients with squamous carcinoma of the head and neck.
Eur Arch Otorhinolaryngol. 265: 1147-1153, 2008 Oct
6. Klosek SK, Nakashiro K, Hara S, Goda H, Hamakawa H.
Stat3 as a molecular target in RNA interference-based treatment of oral squamous cell carcinoma.
Oncol Rep. 20(4): 873-878, 2008 Oct

7. Isokane M, Hieda M, Hirakawa S, Shudou M, Nakashiro K, Hashimoto K, Hamakawa H, Higashiyama S.
Plasma-membrane-anchored growth factor pro-amphiregulin binds A-type lamin and regulates global transcription.
J Cell Sci. 121(21): 3608-3618, 2008 Nov

<2009年>

1. Klosek SK, Nakashiro K, Hara S, Goda H, Hasegawa H, Hamakawa H.
CD151 regulates HGF-stimulated morphogenesis of human breast cancer cells.
Biochem Biophys Res Commun. 379(4): 1097-1100, 2009 Feb
2. Ishikawa T, Nakashiro K, Klosek SK, Goda H, Hara S, Uchida D, Hamakawa H.
Hypoxia enhances CXCR4 expression by activating HIF-1 in oral squamous cell carcinoma.
Oncol Rep. 21(3): 707-12, 2009 Mar

<2010年>

1. Shintani S, Hamakawa H, Ueyama Y, Hatori M, Toyoshima T.
Identification of a truncated cystatin SA-I as a saliva biomarker for oral squamous cell carcinoma using the SELDI Protein Chip platform.
Int J Oral Maxillofac Surg. 39(1): 68-74, 2010 Jan
2. Azuma K, Nakashiro K, Sasaki T, Goda H, Onodera J, Tanji N, Yokoyama M, Hamakawa H.
Anti-tumor effect of small interfering RNA targeting the androgen receptor in human androgen-independent prostate cancer cells.
Biochem Biophys Res Commun. 391(1): 1075-1079, 2010 Jan
3. Nishikawa H, Nakashiro K, Sumida T, Sugita A, Hamakawa H.
Mandibular osteoblastic metastasis of poorly differentiated carcinoma of the thyroid gland.
Int J Oral Maxillofac Surg. 39(3): 301-304, 2010 Mar
4. Dong Z, Liu S, Zhou C, Sumida T, Hamakawa H, Chen Z, Liu P, Wei F.
Overexpression of Id-1 is associated with tumor angiogenesis and poor clinical outcome in oral squamous cell carcinoma.
Oral Oncol. 46(3): 154-157, 2010 Mar
5. Hamada K, Zhang T, Desaki J, Nakashiro K, Itoh H, Tani K, Koyama Y, Hamakawa H.
Carrier cell-mediated cell lysis of squamous cell carcinoma cells by squamous cell carcinoma antigen 1 promoter-driven oncolytic adenovirus.
J Gene Med. 12(6): 545-554, 2010 Jun

6. Sasaki T, Nakashiro K, Tanaka H, Azuma K, Goda H, Hara S, Onodera J, Fujimoto I, Tanji N, Yokoyama M, Hamakawa H.
Knockdown of Akt isoforms by RNA silencing suppresses the growth of human prostate cancer cells in vitro and in vivo.
Biochem Biophys Res Commun. 399(1): 79-83, 2010 Aug

7. Shintani S, Hamakawa H, Nakashiro K, Shirota T, Hatori M, Tanaka M, Kuroshita Y, Kurokawa Y.
Friend leukaemia insertion (Fli)-1 is a prediction marker candidate for radiotherapy resistant oral squamous cell carcinoma.
Int J Oral Maxillofac Surg. 39(11): 1115-1119, 2010 Nov