

英語論文（2000～2005）

〈2000年〉

1. Sogawa K, Yamada T, Sumida T, Hamakawa H, Kuwabara H, Matsuda M, Muramatsu Y, Kose H, Matsumoto K, Sasaki Y, Okutani K, Kondo K, Monden Y.
Induction of K-562 cell apoptosis and inhibitory effect of DNA topoisomerase-1 by a marine microalgal G3 polysaccharide.
Life Science. 66: 227-231, 2000
2. Sumida T, Hamakawa H, Kayahara H, Zen H, Sogawa K, Tanioka H, Ueda N.
Clinical usefulness of telomerase assay for the detection of lymph node metastasis in patients with oral malignancy.
Arch Pathol Lab Med. 124(3): 398-400, 2000 Mar
3. Hamakawa H, Kayahara H, Sumida T, Tanioka H.
Mandibular intraosseous carcinoma coexisting with ameloblastoma.
J Oral Maxillofac Surg. 58(4): 430-433, 2000 Apr
4. Hamakawa H, Takemura K, Sumida T, Kayahara H, Tanioka H, Sogawa K.
Histological study on pN upgrading of oral cancer.
Virchows Arch. 437(2): 116-121, 2000 Aug
5. Hamakawa H, Fukuzumi M, Bao Y, Sumida T, Kayahara H, Onishi A, Sogawa K.
Keratin mRNA for detecting micrometastasis in cervical lymph nodes of oral cancer.
Cancer Lett. 160(1): 115-123, 2000 Nov
6. Fukuzumi M, Hamakawa H, Onishi A, Sumida T, Tanioka H.
Gene expression of GLUT isoforms and VHL in oral squamous cell carcinoma.
Cancer Lett. 161(2): 133-140, 2000 Dec

〈2001年〉

1. Kayahara H, Yamagata H, Tanioka H, Miki T, Hamakawa H.
Frequent loss of heterozygosity at 3p25-p26 is associated with invasive oral squamous cell carcinoma.
J Hum Genet. 46(6): 335-341, 2001 Mar
2. Mese H, Ueyama Y, Suzuki A, Nakayama S, Sasaki A, Hamakawa H, Matsumura T.
Inhibition of telomerase activity as a measure of tumor cell killing by cisplatin in squamous cell carcinoma cell line.
Chemotherapy. 47(2): 136-142, 2001 Mar-Apr
3. Sumida T, Hamakawa H.
Telomerase and oral cancer.
Oral Oncol. 37(4): 333-340, 2001 Jun

4. Ferlito A, Partridge M, Brennan J, Hamakawa H.
Lymph node micrometastases in head and neck cancer: a review.
Acta Otolaryngol. 121(6): 660-665, 2001 Sep.

<2002年>

1. Begum NM, Nakashiro K, Kawamata H, Uchida D, Shintani S, Ikawa Y, Sato M, Hamakawa H.
Expression of peroxisome proliferator-activated receptor gamma and the growth inhibitory effect of its synthetic ligands in human salivary gland cancer cell lines.
Int J Oncol. 20(3): 599-605, 2002 Mar
2. Shintani S, Mihara M, Nakahara Y, Aida T, Tachikawa T, Hamakawa H.
Lymph node metastasis of oral cancer visualized in live tissue by green fluorescent protein expression.
Oral Oncol. 38(7): 664-669, 2002 Oct
3. Li C, Shintani S, Terakado N, Nakashiro K, Hamakawa H.
Infiltration of tumor-associated macrophages in human oral squamous cell carcinoma.
Oncol Rep. 9: 1219-1223, 2002 Nov-Dec

<2003年>

1. Mihara M, Shintani S, Nakashiro K, Hamakawa H.
Flavopiridol, a cyclin dependent kinase (CDK) inhibitor, induces apoptosis by regulating Bcl-x in oral cancer cells.
Oral Oncol. 39(1): 49-55, 2003 Jan
2. Zen H, Nakashiro K, Shintani S, Sumida T, Aramoto T, Hamakawa H.
Detection of circulating cancer cells in human oral squamous cell carcinoma.
Int J Oncol. 23(3):605-610, 2003 Sep
3. Shintani S, Kiyota A, Mihara M, Sumida T, Kayahara H, Nakashiro K, Hamakawa H.
Enhancement of radiosensitivity in head and neck cancer cells by ZD1839 ('IRESSA'), a selective epidermal growth factor receptor tyrosine kinase inhibitor.
Am J Clin Oncol. 26(5): e150-156, 2003 Oct
4. Shintani S, Mihara M, Li C, Nakahara Y, Hino S, Nakashiro K, Hamakawa H.
Up-regulation of DNA-dependent protein kinase correlates with radiation resistance in oral squamous cell carcinoma.
Cancer Sci. 94(10): 894-900, 2003 Oct
5. Uchida D, Begum NM, Almofti A, Nakashiro K, Kawamata H, Tateishi Y, Hamakawa H, Yoshida H, Sato M.
Possible role of stromal-cell-derived factor-1/CXCR4 signaling on lymph node metastasis of oral squamous cell carcinoma.
Exp Cell Res. 290(2): 289-302, 2003 Nov

6. Shintani S, Li C, Mihara M, Nakashiro K, Hamakawa H.
Gefitinib ('Iressa'), an epidermal growth factor receptor tyrosine kinase inhibitor, mediates the inhibition of lymph node metastasis in oral cancer cells.
Cancer Lett. 201(2): 149-155, 2003 Nov
7. Shintani S, Li C, Mihara M, Terakado N, Yano J, Nakashiro K, Hamakawa H.
Enhancement of tumor radioresponse by combined treatment with gefitinib (Iressa, ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor, is accompanied by inhibition of DNA damage repair and cell growth in oral cancer.
Int J Cancer. 107(6): 1030-1037, 2003 Dec
8. Nakashiro K, Begum NM, Uchida D, Kawamata H, Shintani S, Sato M, Hamakawa H.
Thiazolidinediones inhibit cell growth of human oral squamous cell carcinoma in vitro independent of peroxisome proliferator-activated receptor gamma.
Oral Oncol. 39(8): 855-861, 2003 Dec
9. Shintani S, Li C, Mihara M, Hino S, Nakashiro K, Hamakawa H.
Skp2 and Jab1 expression are associated with inverse expression of p27(KIP1) and poor prognosis in oral squamous cell carcinomas.
Oncology. 65(4): 355-362, 2003

〈2004年〉

1. Onishi A, Nakashiro K, Mihara M, Sumida T, Kawamata H, Shintani S, Aida T, Tachikawa T, Hamakawa H.
Basic and clinical studies on quantitative analysis of lymph node micrometastasis in oral cancer.
Oncol Rep. 11(1): 33-39, 2004 Jan
2. Shintani S, Li C, Ishikawa T, Mihara M, Nakashiro K, Hamakawa H.
Expression of vascular endothelial growth factor A, B, C, and D in oral squamous cell carcinoma.
Oral Oncol. 40(1): 13-20, 2004 Jan
3. Shintani S, Li C, Mihara M, Yano J, Terakado N, Nakashiro K, Hamakawa H.
Gefitinib ('Iressa', ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor, up-regulates p27KIP1 and induces G1 arrest in oral squamous cell carcinoma cell lines.
Oral Oncol. 40(1): 43-51, 2004 Jan
4. Terakado N, Shintani S, Yano J, Chunnan L, Mihara M, Nakashiro K, Hamakawa H.
Overexpression of cyclooxygenase-2 is associated with radioresistance in oral squamous cell carcinoma.
Oral Oncol. 40(4): 383-389, 2004 Apr
5. Nakahara Y, Shintani S, Mihara M, Matsumura T, Hamakawa H.
High frequency methylation of p16INK4A gene during 4-nitroquinoline 1-oxide-induced rat tongue carcinogenesis.
Oncol Rep. 12(1): 101-106, 2004 Jul

6. Shintani S, Ishikawa T, Nonaka T, Li C, Nakashiro K, Wong DT, Hamakawa H.
Growth regulated oncogene 1 expression is associated with angiogenesis and lymph node metastasis in human oral cancer.
Oncology. 66(4): 316-322, 2004
7. Klosek SK, Nakashiro K, Hara S, Li C, Shintani S, Hamakawa H.
Constitutive activation of Stat3 correlates with increased expression of the c-Met/HGF receptor in oral squamous cell carcinoma.
Oncol Rep. 12(2): 293-296, 2004 Aug
8. Nakashiro K, Hara S, Shinohara Y, Oyasu M, Kawamata H, Shintani S, Hamakawa H, Oyasu R.
Phenotypic switch from paracrine to autocrine role of hepatocyte growth factor in an androgen-independent human prostatic carcinoma cell line, CWR22R.
Am J Pathol. 165(2): 533-540, 2004 Aug
9. Hamakawa H, Onishi A, Sumida T, Terakado N, Hino S, Nakashiro KI, Shintani S.
Intraoperative real-time genetic diagnosis for sentinel node navigation surgery.
Int J Oral Maxillofac Surg. 33(7): 670-675, 2004 Oct
10. Sumida T, Itahana Y, Hamakawa H, Desprez PY.
Reduction of human metastatic breast cancer cell aggressiveness on introduction of either form a or B of the progesterone receptor and then treatment with progestins.
Cancer Res. 64(21): 7886-7892, 2004 Nov
11. Terakado N, Shintani S, Nakashiro K, Hamakawa H.
Malignant pleural mesothelioma metastasis to the mandible.
Int J Oral Maxillofac Surg. 33(8): 798-800, 2004 Dec
12. Shintani S, Nakahara Y, Li C, Mihara M, Nakashiro K, Hamakawa H.
HER2/neu expression in oral squamous cell carcinoma.
Asian J Oral Maxillofac Surg. 16: 172-176, 2004

〈2005年〉

1. Shintani S, Hamakawa H, Nakahara Y, Doi R, Ryoke K, Yamamoto T, Osaki T.
Clinicopathological profile of oral soft tissue sarcoma.
Asian J Oral Maxillofac Surg. 17(1): 31-37, 2005 Mar
2. Li C, Shintani S, Terakado N, Klosek SK, Ishikawa T, Nakashiro K, Hamakawa H.
Microvessel density and expression of vascular endothelial growth factor, basic fibroblast growth factor, and platelet-derived endothelial growth factor in oral squamous cell carcinomas.
Int J Oral Maxillofac Surg. 34(5): 559-565, 2005 Jul

3. Hino S, Murase R, Terakado N, Shintani S, Hamakawa H.
Response of diffuse sclerosing osteomyelitis of the mandible to alendronate: follow-up study by ^{99m}Tc scintigraphy.
Int J Oral Maxillofac Surg. 34(5): 576-578, 2005 Jul

4. Klosek SK, Nakashiro K, Hara S, Shintani S, Hasegawa H, Hamakawa H.
CD151 forms a functional complex with c-Met in human salivary gland cancer cells.
Biochem Biophys Res Commun. 336(2): 408-416, 2005 Oct